

TROLLING MOTORS & ACCESSORIES

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling Motors

Bow Mount

Minn Kota	2-6
Motorguide.....	12-15

Engine Mount

Minn Kota	8
-----------------	---

Outboard Motor

Minn Kota	8
-----------------	---

Transom Mount

Minn Kota	6-8
Motorguide.....	15-17

Replacement Parts

Minn Kota	10
Motorguide.....	18

Trolling Motor Systems & Accessories

Navi-Gator	18
------------------	----

Trolling Motor Accessories

Angler's Pal	20
Big Foot	20
BoatBuckle	20
Johnny Ray.....	20
Marinco.....	20,21
Marine Works	21
Mar-Lan	21,22
Minn Kota	9
Motorguide.....	17, 18
Panther	22
Pinpoint.....	19
R&R Design.....	22
R-A-M	22
Rod Saver.....	23
Springfield.....	23
Swivl-Eze.....	23
T-H Marine.....	23,24
TRAC.....	24
TrollMaster.....	24

Props

Minn Kota	11, 12
Motorguide.....	17
Young	19

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.



MINN-KOTA® TERROVA™ - BOW MOUNT

Built with power and uncompromising strength. Easy-to-use handle and fallaway ramps. Balanced motor design allows easy stowing. Special master cut-off switch automatically turns power off when stowed. Waterproof, low-profile, electric steer foot pedal w/18' cord for precise control, less than 1° steering resolution. 2 steering options: heel/toe or left/right steering buttons. Includes rotary speed dial, AutoPilot on/off button and mom/con on toggle. Works in conjunction w/ CoPilot™ accessory. Digitally controlled AutoPilot™ delivers infinitely variable steering adjustments, smooth course corrections, tighter heading accuracy, ultimate boat-control advantage. CoPilot compatible. Universal Sonar 2 models available. Digital Maximizer™. Indestructible composite shaft. Cool quiet power. Weedless Wedge™ 2 prop. See following pages for i-Pilot & i-Pilot Link features.

	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
	5204326	1358800	Terrova™ 55	48"	55#	12	Terrova™	Variable	21'	\$789.99
	5204248	1358801	Terrova™ 55	54"	55#	12	Terrova™	Variable	21'	799.99
	5204256	1358811	Terrova™ 80	60"	80#	24	Terrova™	Variable	25'	1099.99
	w/AUTOPILOT									
	5204252	1366101	Terrova™ 55/AP	54"	55#	12	Terrova™	Variable	21'	1009.99
	w/UNIVERSAL SONAR* 2									
	5204257	1358860	Terrova™ 80/US2	54"	80#	24	Terrova™	Variable	25'	1189.99
	5204258	1358861	Terrova™ 80/US2	60"	80#	24	Terrova™	Variable	25'	1199.99
	w/UNIVERSAL SONAR* 2 & i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - INCLUDES FOOT PEDAL									
	5204878	1358854	Terrova™ 55/US2/i-Pilot	45"	55#	12	Terrova™	Variable	21'	1229.99
	5204879	1358853	Terrova™ 55/US2/i-Pilot	54"	55#	12	Terrova™	Variable	21'	1239.99
	5204880	1358864	Terrova™ 80/US2/i-Pilot	45"	80#	24	Terrova™	Variable	25'	1469.99
	5204881	1358865	Terrova™ 80/US2/i-Pilot	60"	80#	24	Terrova™	Variable	25'	1489.99
	5204919	1358874	Terrova™ 101/US2/i-Pilot	54"	101#	36	Terrova™	Variable	25'	1659.99
	5204882	1358873	Terrova™ 101/US2/i-Pilot	60"	101#	36	Terrova™	Variable	25'	1669.99
	w/UNIVERSAL SONAR* 2 & AUTOPILOT									
	5204254	1366151	Terrova™ 55/AP/US2	54"	55#	12	Terrova™	Variable	21'	1109.99
	5204262	1366161	Terrova™ 80/AP/US2	60"	80#	24	Terrova™	Variable	25'	1399.99
	5204270	1366171	Terrova™ 101/AP/US2	60"	101#	36	Terrova™	Variable	25'	1599.99
	w/UNIVERSAL SONAR* 2 & i-PILOT™ LINK WIRELESS GPS BASED TROLLING MOTOR SYSTEM - INCLUDES FOOT PEDAL									
	5204926	1358855	Terrova™ 55/US2/iP-Link	54"	55#	12	Terrova™	Variable	21'	1529.99
	5204927	1358866	Terrova™ 80/US2/iP-Link	45"	80#	24	Terrova™	Variable	25'	1779.99
	5204928	1358867	Terrova™ 80/US2/iP-Link	60"	80#	24	Terrova™	Variable	25'	1799.99
	5204929	1358875	Terrova™ 101/US2/iP-Link	60"	101#	36	Terrova™	Variable	25'	1979.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN-KOTA® FORTREX - BOW MOUNT

Innovative Mono Arm design. Single hinge point has fewer moving parts than traditional scissors mount and has a rear pivot bearing that is 20x larger. Counter-Tension Stability (CTS) design features an integrated spring arm that applies force in both the stowed & deployed positions. Marine-grade anodized extruded aluminum structural beam design. All metal interfaces are isolated w/composite bushings. Side plates have replaceable nylon motor rest inserts. 7/16" diameter pivot pin. Extruded marine-grade aluminum bow plate. Removeable Bow Guard 360™. Incorporates enhanced patented Lift-Assist design. Control box is a hybrid composite material improving impact resistance. Lighted directional indicator. Non-marring soft grip rope handle w/improved abrasion resistance. Integrated* bow mount stabilizer comes standard on all Fortrex except 80 lb. 45" models. Hand Control model utilizes the Tilt/Extend Tiller, which tilts (up to 45°) & extends (up to 6") to give you maximum control.



	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
	5204422	1368660	Fortrex 80	45"	80#	24	Bowguard 360°™	Variable	25'	\$1179.99
	5204423	1368661	Fortrex 80	52"	80#	24	Bowguard 360°™	Variable	25'	1227.99
	5204428	1368680	Fortrex 101	45"	101#	36	Bowguard 360°™	Variable	25'	1279.99
	5204429	1368681	Fortrex 101	52"	101#	36	Bowguard 360°™	Variable	25'	1309.99
	w/UNIVERSAL SONAR 2*									
	5204425	1368670	Fortrex 80/US2	45"	80#	24	Bowguard 360°™	Variable	25'	1279.99
	5204426	1368671	Fortrex 80/US2	52"	80#	24	Bowguard 360°™	Variable	25'	1309.99
	5204427	1368672	Fortrex 80/US2	62"	80#	24	Bowguard 360°™	Variable	25'	1339.99
	5204431	1368690	Fortrex 101/US2	45"	101#	36	Bowguard 360°™	Variable	25'	1379.99
	5204432	1368691	Fortrex 101/US2	52"	101#	36	Bowguard 360°™	Variable	25'	1409.99
	5204433	1368692	Fortrex 101/US2	62"	101#	36	Bowguard 360°™	Variable	25'	1439.99
	HAND CONTROL									
	5204925	1368685	Fortrex 101 Hand 52"	101#	101#	36	Bowguard 360°™	Variable	25'	1139.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables



MINN KOTA® MAXXUM® - BOW MOUNT

Cool quiet power. Indestructible composite shaft. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Cable steer control. Lighted directional indicator. Cable steer foot pedal, ergonomically designed for all-day comfort, heel/toe action, easy-to-use, provides complete control. NOTE: Hand Control Models: Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Downward tilt feature for compact storage. Handle extends 6".

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL									
5201960	1368550	Max 55/SC	42"	55#	12	Bowguard 360°™	5	21'	\$699.99
5201961	1368551	Max 55/SC	52"	55#	12	Bowguard 360°™	5	21'	729.99
5201962	1368553	Max 55	42"	55#	12	Bowguard 360°™	Variable	21'	779.99
5201963	1368554	Max 55	52"	55#	12	Bowguard 360°™	Variable	21'	798.99
5201909	1368560	Max 70/SC	42"	70#	24	Bowguard 360°™	5	23'	729.99
5201906	1368561	Max 70	42"	70#	24	Bowguard 360°™	Variable	23'	799.99
5201907	1368562	Max 70	52"	70#	24	Bowguard 360°™	Variable	23'	829.99
5201912	1368580	Max 80	42"	80#	24	Bowguard 360°™	Variable	25'	1029.99
5201913	1368581	Max 80	52"	80#	24	Bowguard 360°™	Variable	25'	1089.99
w/HAND CONTROL									
5204434	1368620	Max 55 SC/Hand 52"		55	12	Bowguard 360°™	5/3	21'	539.99
5204435	1368630	Max 70 SC/Hand 52"		70#	24	Bowguard 360°™	5/3	23'	729.99
5204436	1368640	Max 80 BG/Hand 52"		80#	24	Bowguard 360°™	Variable	25'	929.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA® EDGE BOW-MOUNT

Cool quiet power. No-nonsense performance. Extruded upper arm made from Marine-grade anodized aluminum is built for years of trouble-free use. Redesigned motor head constructed of highly impact-resistant, hybrid composite material. Head integrates a high visibility directional indicator. Cable boot integrated into control box. NOTE: Hand Control Models: Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response. Foot Control Models: Ultra-responsive foot pedal ergonomically designed for all-day comfort, easy-to-use, heel/toe action provides reliable, responsive cable steering control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL										
5204867	1355946	Edge 45	36"	45#	12	Latch & Door	Power Prop	5	18'	\$369.99
5204868	1355947	Edge 45	45"	45#	12	Latch & Door	Power Prop	5	18'	379.99
5204869	1355948	Edge 45	50"	45#	12	Latch & Door	Power Prop	5	18'	409.99
5204871	1355956	Edge 55	45"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	519.99
5204872	1355957	Edge 55	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	529.99
5204874	1355970	Edge 70	45"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	579.99
5204875	1355971	Edge 70	52"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	599.99
w/FOOT CONTROL & HUMMINBIRD® PIRANHAMAX® 143										
5204951	1355959	Edge 55	45"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	519.99
w/FOOT CONTROL & HUMMINBIRD® PIRANHAMAX® 153										
5204952	1355974	Edge 70	45"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	579.99
w/HAND CONTROL										
5204870	1355945	Edge 45/H	45"	45#	12	Latch & Door	Power Prop	5/3	18'	289.99
5204873	1355955	Edge 55/H	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5/3	21'	469.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.

MINN KOTA® POWERDRIVE™ V2 - BOW MOUNT

Cool quiet power. Ergonomically designed foot pedal offers precise speed adjustment, right/left steering, momentary and constant On/Off, high IP68 waterproof rating and 18' cord. Deploy-assist lever puts user in motion quickly and easily and provides easy, secure stowing. AutoPilot™ gives unparalleled navigational control, patented compass keeps boat on course even in adverse weather. Indestructible composite shaft. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. CoPilot™ handheld remote (Sold Separately) allows speed/steering control from anywhere on boat. See page 11 for i-Pilot features.

	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
Mooring/ Docking	5204537	1358704	45PD V2	48"	45#	12	PowerDrive™	Weedless Wedge™ 2	Variable	18'	\$469.99
	5204225	1358705	50PD V2	48"	50#	12	PowerDrive™	Weedless Wedge™ 2	Variable	20'	579.99
	5204227	1358710	55PD V2	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	579.99
	5204228	1358711	55PD V2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	589.99
Hardware	5204237	1358720	70PD V2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	749.99
	5204238	1358721	70PD V2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	759.99
	w/i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL										
Lighting	5204883	1358740	55PD V2/i-Pilot	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	919.99
	5204884	1358741	55PD V2/i-Pilot	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	929.99
	5204886	1358726	70PD V2/i-Pilot	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1079.99
Boat Seats	w/AUTOPILOT										
	5204231	1366200	55PD V2/AP	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	779.99
	5204232	1366201	55PD V2/AP	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	789.99
	5204242	1366211	70PD V2/AP	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	959.99
Boat Covers	w/UNIVERSAL SONAR* 2										
	5204229	1358750	55PD V2/US2	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	679.99
	5204230	1358751	55PD V2/US2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	689.99
	5204239	1358755	70PD V2/US2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	849.99
Fuel	5204240	1358756	70PD V2/US2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	849.99
	w/UNIVERSAL SONAR* 2 & i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL										
	5204885	1358753	55PD V2/US2/i-Pilot	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	1019.99
	5204887	1358758	70PD V2/US2/i-Pilot	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1179.99
Trailers/ ATV Access.	w/UNIVERSAL SONAR* 2 & AUTOPILOT										
	5204234	1366251	55PD V2/AP/US2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	889.99
	5204243	1366260	70PD V2/AP/US2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1049.99
	5204244	1366261	70PD V2/AP/US2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1059.99
Pumps	POWERDRIVE PONTOON w/QUICK RELEASE BRACKET										
	5204245	1358712	54PD V2	48"	54#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	579.99
	5204246	1358722	68PD V2	48"	68#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	719.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

MINN KOTA® PONTOON BOW-MOUNT

Updated, sleek design. Cool, quiet power. Control speed & steering with the Hand Control motor's Tilt Twist Tiller™. Compact mount frees up more deck space. Compatible with Quick Release Brackets (sold separately). Composite shaft. Weedless Wedge™ 2 prop.

	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
Cutlery	5204876	1355954	Pontoon55/Hand	52"	55#	12	Latch & Door	5/3	21'	\$399.99
	5204877	1355975	Pontoon70/Hand	52"	70#	24	Latch & Door	5/3	25'	499.99





MINN KOTA® RIPTIDE® SP - BOW MOUNT

Cool quiet power. Optimized saltwater performance. Reengineered electric steer control. Indestructible composite shaft. Deploy-assist lever provides quick motion, easy/secure stowing. CoPilot™ remote gives freedom to operate from anywhere on boat. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion. Optional corded or wireless foot pedals offer side-to-side steering, momentary/constant on switch, speed control knob for precise adjustments and 18' cable with IP68-rated waterproof connector plug. Weedless Wedge™ 2 prop. See page 11 for i-Pilot features.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204272	1363550	RT55/SP/CP	48"	55#	12	PowerDrive™	Variable	21'	\$749.99
5204274	1363560	RT70/SP/CP	54"	70#	24	PowerDrive™	Variable	23'	899.99
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL									
5204895	1363553	RT55/SP/IP	48"	55#	12	PowerDrive™	Variable	21'	1029.99
5204896	1363563	RT70/SP/IP	54"	70#	24	PowerDrive™	Variable	23'	1179.99

MINN KOTA® RIPTIDE® ST - BOW MOUNT


Saltwater powerhouse. The easy-to-use handle and fallaway ramps on the stow/deploy mechanism lets you effortlessly move your motor in and out of the water. The balanced motor design makes stowing easy, and a special master cut-off switch automatically turns the power off when stowed. AutoPilot™: Digitally controlled. Gives unparalleled navigational control. The patented compass in AutoPilot™ keeps your boat traveling on course, even through heavy wind or chop. Standard CoPilot gives you control of speed, steering and On/Off controls, along with a high speed bypass control for instant full power. Composite shaft is impervious to the corrosive effects of saltwater. Will not break, kink or corrode. Maximizer technology controls the draw of power at variable speeds. Weedless Wedge™ 2 prop. Optional corded foot pedal available. See page 11 for i-Pilot features.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204317	1363760	RT80/ST/CP	54"	80#	24	Terrova™	Variable	\$1199.99
5204318	1363761	RT80/ST/CP	60"	80#	24	Terrova™	Variable	1209.99
w/AUTOPILOT								
5204319	1363710	RT80/ST/CP/AP	54"	80#	24	Terrova™	Variable	1399.99
5204320	1363711	RT80/ST/CP/AP	60"	80#	24	Terrova™	Variable	1409.99
5204322	1363721	RT101/ST/CP/AP	60"	101#	36	Terrova™	Variable	1649.99
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL								
5204892	1363704	RT55/ST/IP	54"	55#	12	Terrova™	Variable	1199.99
5204893	1363714	RT80/ST/IP	54"	80#	24	Terrova™	Variable	1449.99
5204918	1363715	RT80/ST/IP	60"	80#	24	Terrova™	Variable	1459.99
5204894	1363723	RT101/ST/IP	60"	101#	36	Terrova™	Variable	1769.99

MINN KOTA® RIPTIDE® SF - BOW MOUNT

Designed for professionals & saltwater guides. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Cool, quiet power. Lift-Assist stow & deploy w/heavy-duty gas-charged spring, cuts weight of lifting motor 50%. Mounting system w/heavy-duty, saltwater-engineered, corrosion-resistant stainless steel spring; breaks away on impact from any direction, automatically resets itself and protects motor/bow from hidden obstacles, detaches for added convenience. Indestructible composite shaft. Weedless Wedge™ 2 prop. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204445	1363640	RT SF80/BG/H	52"	80#	24	Bowguard 360°™	Variable	25'	\$1129.99
5204446	1363641	RT SF80/BG/H	62"	80#	24	Bowguard 360°™	Variable	25'	1159.99
5204448	1363651	RT SF101/BG/H	62"	101#	36	Bowguard 360°™	Variable	25'	1249.99



Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/

ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



MINN KOTA® RIPTIDE® SE - BOW-MOUNT

Cool, quiet power. Ergonomically contoured Tilt/Extend Tiller handle can both tilt (up to 45°) & extend (up to 6") to fit any style of fishing, and it tilts downward for easy storage. A digital battery indicator is located right on the motor head. Extruded, anodized aluminum arm. Quick-Lock cam depth adjuster. Indestructible composite shaft flexes on impact & won't break, kink or corrode. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204889	1355915	RT55/SE/B/Hand	52"	55#	12	Compact Latch & Door	Variable	21'	\$669.99
5204890	1355920	RT70/SE/B/Hand	52"	70#	24	Compact Latch & Door	Variable	23'	799.99



MINN KOTA® RIPTIDE® SALTWATER - BOW MOUNT

Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Cool, quiet power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Indestructible composite shaft. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
SM SERIES, w/TILT TWIST TILLER™									
5204451	1363420	RT55/SM/L&D/SC	42"	55#	12	Latch & Door	5/3	23'	\$599.99
5204452	1363421	RT55/SM/L&D/SC	52"	55#	12	Latch & Door	5/3	23'	629.99
5204453	1363422	RT55/SM/L&D	52"	55#	12	Latch & Door	Variable	23'	699.99
5204454	1363425	RT70/SM/L&D/SC	52"	70#	24	Latch & Door	5/3	23'	699.99
5204456	1363445	RT80/SM/BG	52"	80#	24	Bowguard 360°™	Variable	25'	979.99
5204455	1363447	RT80/SM/L&D	52"	80#	24	Latch & Door	Variable	25'	949.99
5204457	1363446	RT80/SM/BG	62"	80#	24	Bowguard 360°™	Variable	25'	997.99
5204459	1363468	RT101/SM/BG	62"	101#	36	Bowguard 360°™	Variable	25'	1099.99



MINN KOTA® ENDURA C2 - TRANSOM MOUNT

5-Speed. Cool, quiet power. 6" telescoping ergonomic-designed handle. Indestructible composite shaft. Strong, 10-position Lever Lock Bracket mount is constructed of special composite materials that resists flexing, warping & UV damage. Two-year warranty.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204581	1352230	Endura C2 30	30"	30#	12	Lever Lock Bracket	Power Prop	5/3	14'	\$109.99
5204582	1352240	Endura C2 40	36"	40#	12	Lever Lock Bracket	Power Prop	5/3	17'	169.99
5204583	1352245	Endura C2 45	36"	45#	12	Lever Lock Bracket	Power Prop	5/3	18'	189.99
5204584	1352250	Endura C2 50	36"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	209.99
5204585	1352251	Endura C2 50	42"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	219.99
5204586	1352255	Endura C2 55	36"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	229.99
5204587	1352256	Endura C2 55	42"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	239.99





MINN KOTA® ENDURA™ MAX - TRANSOM MOUNT

The power of Digital Maximizer™ keeps you out on the water up to five times longer on a single charge. Includes variable speed control for more precise and smooth speed adjustments & improved boat control. Push-to-test battery meter. Indestructible composite shaft. Cool, quiet power. 10-position lever-lock bracket features a quick-release lever lock and reinforced composite material that resists flexing, warping & UV damage. 6" telescoping handle.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204930	1352140	Endura Max 40	36"	40#	12	Lever Lock Bracket	Power Prop	5/3	17'	\$219.99
5204931	1352145	Endura Max 45	36"	45#	12	Lever Lock Bracket	Power Prop	5/3	18'	239.99
5204932	1352150	Endura Max 50	36"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	259.99
5204933	1352151	Endura Max 50	42"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	264.99
5204934	1352155	Endura Max 55	36"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	279.99
5204935	1352156	Endura Max 55	42"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	284.99



MINN KOTA® TRAXXIS - TRANSOM MOUNT

Transom motor platform improves every functional aspect of the on-the-water experience. Motor deploys to 10 different positions. Easily accessible thumb release provides simple deploy operation. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Quick-Lock cam design for depth adjustment. Steering tension/vertical stow collar improves steering tension & allows the motor to be stowed in a vertical position. Push-to-test battery meter integrated into head.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204540	1368707	Traxxis 45	36"	45#	12	Metal 10-Position	Variable	\$279.99
5204441	1368715	Traxxis 55	36"	55#	12	Metal 10-Position	Variable	319.99
5204442	1368716	Traxxis 55	42"	55#	12	Metal 10-Position	Variable	324.99
5204443	1368720	Traxxis 70	42"	70#	24	Metal 10-Position	Variable	424.99
5204444	1368730	Traxxis 80	42"	80#	24	Metal 10-Position	Variable	534.99



MINN KOTA® VANTAGE® - TRANSOM MOUNT

Cool quiet power. 4.1 Steering: moving Tilt/Extend 45° changes lower unit full 180°, eliminates tiller interference with outboard or kicker motor. Power Trim: push of button raises or lowers motor to meet changing depth and fishing conditions. Power Stow and Deploy: automatically raises motor to stowed position. Tilt/Extend tiller extends 31" to give better control from inside back of boat, tilts up/down for greater comfort and steering control. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Breakaway mount automatically breaks away on impact, resets itself, protects motor from hidden hazards. Backroll instantly by lifting directional indicator, rotating 180° and setting back down. Indestructible composite shaft. Weedless Wedge™ 2 prop.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201940	1352625	Vantage 80	Variable	80#	24	Metal Breakaway	Variable	25'	\$1299.99
5201983	1352638	Vantage 101	Variable	101#	36	Metal Breakaway	Variable	25'	1499.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
Instruments

MINN KOTA® RIPTIDE® SALTWATER - TRANSOM MOUNT

Depth
Finders/GPS

Tilt Twist Tiller. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Downward tilt feature for compact storage. Handle extends 6". Cool quiet power. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Indestructible composite shaft. Weedless Wedge™ 2 prop. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion.

Vests/
CushionsWater
Sports

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204541	1363805	RT45/S	36"	45#	12	Metal 10-Position	5/Multiple	18'	\$299.99
5204461	1363810	RT50/SC/S	42"	50#	12	Metal 10-Position	5/Multiple	20'	359.99
5204462	1363820	RT55/S	36"	55#	12	Metal 10-Position	Variable	21'	519.99
5204463	1363821	RT55/S	42"	55#	12	Metal 10-Position	Variable	21'	524.99
5204464	1363830	RT80/S	42"	80#	24	Metal 10-Position	Variable	25'	669.99
5204465	1363840	RT101/S	52"	101#	36	Metal 10-Position	Variable	25'	739.99

Boat
Access.Mooring/
Docking

MINN KOTA® WATERFOWL EDITION - TRANSOM MOUNT

Built to take on the elements. Advantage Wetlands Camo® 44 motor and shaft for ultimate concealment. . Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response. Indestructible composite shaft. Weedless Wedge™ prop. Lifetime Warranty.

Hardware

Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204888	1351922	Waterfowl	36"	45#	12	Lever Lock Bracket	5/3	18'	\$259.99
5204372	1351927	Waterfowl	36"	55#	12	Lever Lock Bracket	5/3	21'	299.99

Boat Seats

Boat Covers

MINN KOTA® E-DRIVE ELECTRIC OUTBOARD MOTOR

For lakes with environmental or gasoline outboard restrictions. Quiet 2HP power plant moves full-size pontoon boat up to 5 mph. Efficient 48V system allows up to 2-hour run at 100% power on single charge. Ultra-responsive throttle lever has forward, neutral and reverse positions. Includes key lock-out and trim switch. Back-lit Realtime Digital Battery Gauge, gives instant reading of how many hours of runtime are left on battery, fuel gauge showing battery condition and throttle power level. Stainless steel prop. Built-in Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Cable steering compatible, connects directly to boat's cable steer linkage. Dash-mounted tilt gauge gives instant readout of motor position. Mount includes power-tilt mechanism and built-in breakaway mount that protects boat from underwater collisions.

Fuel

Trailers/
ATV Access.

Pumps

Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201680	1371010	E-Drive	20"	2 hp	48	Bolt-on Transom	Variable	25'	\$2799.99

Electrical

MINN KOTA® EM SERIES - ENGINE MOUNT

Cool quiet power. Composite bracket will not interfere with normal performance of outboard or I/O motor. Mounts on cavitation plate of OB or I/O lower unit. No stowing/deploying required. Completely out-of-sight. Keeps deck clear and recreational boats from looking like fishing boats. Once on plane, EM rides completely out of water. Control speed with 18' corded remote that can be mounted or handheld. Offers infinitely variable speed control in forward or reverse. Features neutral (off) detent position. Motor can be steered using boat steering wheel or outboard tiller. Electronics are housed in fully waterproof control module mounted below deck. Electronics are sealed in marine-grade polyurethane for corrosion-proof protection. Extruded aluminum housing features specially designed fins that dissipate heat to keep things cool under high rpm use. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Weedless Wedge™ 2 prop.

Maintenance

Controls/
SteeringMotor
Access.

Order #	Mfg. #	Sub-Model	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
MK SERIES FRESHWATER								
5202069	1370610	MK55EM	55#	12	Single-Composite	Variable	18'	\$619.99
5202080	1370620	MK80EM	80#	24	Single-Composite	Variable	20'	819.99
5202120	1370630	MK101EM	101#	36	Single-Composite	Variable	22'	919.99
RIPTIDE SERIES SALTWATER								
5202136	1370615	RT55EM	55#	12	Single-Composite	Variable	18'	669.99
5202137	1370625	RT80EM	80#	24	Single-Composite	Variable	20'	869.99
5202139	1370645	RT160EM	160#	24	Dual-Composite	Variable	24'	1069.99

Camping

Cutlery





MINN KOTA® i-PILOT®

Ergonomically redesigned remote. 20% larger LCD screen, high-visibility laser-etched buttons & an easy-access external battery compartment. Compact, watertight & easy to use, this remote gives you instant feedback on active functions, speed, prop on/off status, battery power & GPS signal strength. Record A Track - can record your track, then retrace the path automatically. Up to 6 different tracks can be stored & recalled. Spot Lock - works like an electronic anchor. Automatically corrects for wind, drift or waves. Recall feature allows you to return to a stored Spot-Lock location. Stores up to 6 locations. Advanced Auto Pilot - projects a series of waypoints based on motor position. Will maintain the boat's heading while compensating for wind, current & drift. Standard AutoPilot™ will remain as a function for unique situations. Cruise Control - uses GPS to maintain actual "on-the-water" MPH rather than trolling motor speed. CoPilot - Control speed, steering, prop on/off and high-speed bypass - our "legendary" CoPilot functions - from your i-Pilot remote. Free yourself from the foot pedal and fish from anywhere on the boat. Backlit for low light situations. Fully gasketed, water tight & floatable. Neck lanyard & carabiner included.

Order #	Mfg. #	Type	Sugg.Ret.
5204862	1866300	For Terrova Trolling Motors	\$449.99
5204863	1866310	For PowerDrive V2 Trolling Motors	449.99
5204864	1866305	For Riptide ST Trolling Motors	449.99
5204865	1866315	For Riptide SP Trolling Motors	449.99

REPLACEMENT PARTS

5204866	1866350	Replacement Remote	159.99
---------	---------	--------------------	--------

new

MINN KOTA® i-PILOT® LINK™

Utilizes GPS technology and Ethernet connectivity to enable communication & functionality between select Minn Kota motors, select Humminbird® fishfinders, and LakeMaster digital GPS maps. The ability to store & record location data on the fishfinder & the ability to have the trolling motor use that data for automatic navigation is something fisherman have been asking for. Unique Follow the Contour feature directs trolling motor to follow a specific depth contour that is displayed on the LakeMaster digital GPS map. The Go To feature steers the boat to specific locations such as waypoints, Spot-Locks and iTracks. These locations can be recorded either from the fishfinder or from the remote. Up to 2500 waypoints & Spot-Locks, and 50 iTrack locations can be stored in the fishfinder. Spot-Locks are locations that have been recorded & stored using the Spot-Lock feature in the iPilot Link remote or the Humminbird fishfinder. When activated, it works like an electronic anchor by keeping the boat within a 5' radius of the selected spot. iTracks are specific trolling motor paths (up to 2 miles in length) that have been recorded & stored so they can be retracked upon request. Classic functions of the original i-Pilot include Cruise Control, Advanced AutoPilot™ and CoPilot™. i-Pilot Link remote features a full-color graphic LCD screen to display



GPS signals, remote battery charge, prop status, current function & user menus. Remote also displays important data such as water depth & temperature. Most i-Pilot Link functions can be activated on the waterproof remote or with the Humminbird unit. Remote includes a rechargeable Li-ion battery. i-Pilot Link is compatible with Terrova™, PowerDrive™ V2, Riptide® ST and Riptide SP trolling motors and is exclusive for use with most Humminbird models that have Ethernet capabilities. Follow the Contour works exclusively with i-Pilot Link enabled LakeMaster digital GPS maps. Complete system includes new control head for the motor, a wireless remote & all necessary cables for installation. Includes lanyard & carabiner clip.

Order #	Mfg. #	Type	Sugg.Ret.
5204936	1866400	For Terrova Trolling Motors	\$799.99
5204937	1866410	For PowerDrive V2 Trolling Motors	799.99
5204938	1866405	For Riptide ST Trolling Motors	799.99
5204939	1866415	For Riptide SP Trolling Motors	799.99
REPLACEMENT/ACCESSORY PARTS			
5204940	1866450	Replacement Remote	299.99
5204941	1866460	Charge Cable	29.99
5204942	1866470	Holding Cradle/Belt Clip	29.99

MINN KOTA® UNIVERSAL SONAR 2 ADAPTER CABLES

Adapters connect motor to favorite brand of sonar or fishfinder (200kHz and 200kHz/83kHz DualBeam PLUS compatible). Utilize dual beam compatibility to see water at 20° and 60° angles, or combine the views.

Order #	Mfg. #	Model	Fits	Sugg.Ret.
5204297	1852061	MKR-US2-1	Garmin®	\$29.99
5204302	1852068	MKR-US2-8	Humminbird 7-pin	29.99
5204303	1852069	MKR-US2-9	Lowrance/Eagle Blk.D	29.99
5204304	1852060	MKR-US2-10	Lowrance/Eagle Blue	29.99
5204305	1852080	MKR-US2-11	Universal Extension	29.99



MINN KOTA® COPILOT™ SYSTEM

Wireless control for PowerDrive™, PowerDrive™ w/AutoPilot™ & Riptide™ /AutoPilot™. Plug-n-Play design allows easy hook-up. Receiver mounts to right side plate. Design allows trolling motor to be controlled from rod, wrist or belt. Functions: Steering (right & left), on/off & speed control. Quick-release rod mounts allow for easy transfer of transmitter from rod-to-rod. Includes: receiver, remote, 3 quick-release rod mounts and Velcro® wrist/belt strap.

Order #	Mfg. #	Type	Sugg.Ret.
COPILOT™ WIRELESS SYSTEM			
5201748	1866100	Legacy PowerDrive	\$149.99
5204306	1866150	PowerDrive V2	149.99
5204307	1866160	Terrova	199.99
REPLACEMENT PARTS			
5201746	1866120	Repl. Transmitter - Legacy PD & V2	49.99
5204296	1866170	Repl. Transmitter - Terrova & RT/ST	69.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



MINN KOTA® REPLACEMENT PARTS

	Order #	Mfg. #	Model	Type	Sugg.Ret.
	BATTERY & CHARGING ACCESSORIES				
Mooring/ Docking	5204290	1865108	MKR-21	AC Power Port (Black)	\$14.99
	5204350	1865110	MKR-23	AC Power Port (White) Saltwater Applications	14.99
	BOW MOUNT STABILIZER KIT				
Hardware	5201471	1862013	MKA-4	Bow mount-designed shock absorber for Maxxum & Riptide, Velcro® strap, w/hardware	29.99
	5204754	1862012	MKA-29	Fits any Maxxum Pro, Maxxum, Riptide Pro and Riptide bow mount trolling motors.	34.99
	BRACKET-QUICK RELEASE				
Lighting	5201448	1862016	MK52/62	Max/RT Quick Release (Long: 52"/62" Shafts) Scissor Mount.	149.99
	5201637	1854013	MKA-16-02	PowerDrive or AutoPilot Quick Release	49.99
	5201341	1862014	MKA-42	Maxxum (Short bracket) 42", Solid anodized aluminum, great for fresh or saltwater applications, lifetime guarantee, simple installation Scissor Mount. PK2.	129.99
Boat Seats	5202009	1854017	RTA-17	Riptide, Composite PD/AP QRB	79.99
	5202041	1854021	MKA-21	PowerDrive or PowerDrive w/AP Composite	79.99
	5204292	1854060	MKA-32	Electric Steer -Terrova, PowerDrive V2 or PowerDrive	129.99
	BRACKET-QUICK RELEASE SCISSORS MOUNT				
Boat Covers	5202011	1854019	RTA-19	For Riptide, Composite,	99.99
	5202031	1854023	MKA-23	Maxxum Pro, Maxxum Plus "Edge" or All Terrain Composite	99.99
	CIRCUIT BREAKER				
Fuel	5202013	1865106	MKR-19	60A, Waterproof	39.99
	EXTENSION HANDLE				
Trailers/ ATV Access.	5200898	1854100	MKA-7	30" long	29.99
	5201519	1854101	MKA-18	18" long.	19.99
	5204353	1854107	MKA-43	Telescopic 17"-25"	24.99
	5204354	1854108	MKA-44	Telescopic 24"-40"	39.99
	FOOT PEDAL				
Pumps	5204293	1866065		Riptide SP Foot Pedal (Corded)	99.99
	5204294	1866075		Riptide ST Foot Pedal (Corded)	149.99
	5204346	1866040		Replacement PowerDrive Foot Pedal (Corded)	99.99
	5204591	1866066		Replacement PowerDrive V2 Foot Pedal (Corded)	99.99
	5204295	1866055		Replacement Wireless Foot Pedal - RT/SP &PD/V2	99.99
Electrical	MOUNT ADAPTER				
	5202042	1854022	MKA-22	For MKA 21 PowerDrive or PowerDrive w/AP	39.99
	PROP NUT KITS - 2 PROP NUTS, LOCK WASHERS, DRIVE PINS				
Maintenance	5200743	1865010	MKP-9	Style A - All 3-1/4", 3-3/8", 3-5/8" dia. motors	9.99
	5200744	1865011	MKP-10	Style B - All 4" dia. motors	6.99
	5200745	1865012	MKP-12	Style C - All 2-1/2" dia. motors	6.99
	5204359	1865014	MKP-23	Style D - 4" dia. motors w/Serial Number Prefix "MK"	6.99
Controls/ Steering	5204900	1865019	MKP-34	Style E - Fits MKP-33 Weedless Wedge™ 2 prop	6.99
	QUICK NUTS				
	5201521	1865100	MKR-8	For mounting a trolling motor/accessories where there is limited access	7.99
	RECEPTACLE ADAPTER-6-GAUGE WIRE				
Motor Access.	5201638	1865104		Allow for heavy 6-gauge wire connection to MKR-18 plug & receptacle	14.99
	RECEPTACLE & PLUG KIT				
	5201520	1865102	MKR-18	12 Volt. Universal design for 2 or 3 wire configuration	29.99
	REPLACEMENT ROPE & HANDLE				
Camping	5204352	1854120	MKA-45	48" w/Nylon Braid Cord w/Heat Fused Ends. Ergonomic Soft Grip Pull Handle	9.99
	RIGGING ACCESSORIES				
Cutlery	5201443	1865101	MRK-12	Quick Connect Plug: For 12, 24, 12/24 volt application. 10 ga. wire	9.99
	5201444	1840201	MKR-15	Transducer Mounting Kit	19.99
	5204150	1865107	MKR-20	Trolling Motor Plug. For 6-12 ga. wire. Kit includes 2 plug halves, four contacts & four solder plugs for securing wire leads into contacts.	19.99



REPLACEMENT PROP SELECTION GUIDE

Minn Kota offers a wide range of replacement props to fit all existing and many discontinued models. The props include the nut attachment and can be installed in seconds.

WEEDLESS WEDGE™ PROPS

The only 100% fully weedless prop. Patented design pushes weeds away to conserve battery power. Easily moves through heavy vegetation or cover, even at slow speeds

WEEDLESS WEDGE™ 2 PROPS

Exclusive prop is the only of its kind that is 100% weedless. Unique, patented design features swept-back and flared blades to “wedge” weeds away while conserving battery power. Moves through heavy vegetation, even at slow speeds.

POWER PROPS

POWER PROPS
Delivers extra power to push through heavy vegetation. Fits 3-1/4" & 3-5/8" diameters.



WEEDLESS WEDGE

Order #	Mfg. #	Type	Fits	Sugg.Ret.
WEEDLESS WEDGE™ PROPS				
MKP-6				
5200809	1865003	Prop No.: Motor Dia.: Prop Nut Kit:	#2061125 3-1/4" "A"	35A, 35Ta, 40Ta, 65Ta, 35T, 50T, 50MXT, 65T, 555T, 555Ta, 565T, 565Ta, 30AT, 33AT, 36AT, 36AT/H, 365T, 365Ta, 365TMB, 765T, 765MXT, 765MXTa, 865T, 865MXTa, 665T, 665MXT, 30EX, 36EX, RT27/S, RT36/S, RT40/S, 36PD/C, 36PD/AP/C, 40PD, 40AP, Endura 30, Endura 34, Endura 36, Endura 38, Endura 40, Endura Pro 32, Endura Pro 38, 40AT, 40AT/H, 40PD, MAX 30T, MAX 36T, MAX 40, PowerMax 30, PowerMax 36, Vector 40
				\$16.99
MKP-7				
5200413	1865006	Prop No.: Motor Dia.: Prop Nut Kit:	#2091150 3-5/8" "A"	90T, 112, 112S/S, 312, 324, 512, 524, 412, 42AT, 48AT, 712, 712S/S, 724, 724S/S, 812, 824, 42EX, RT42/AP/C, RT48/AP/C, 42PD/C, 50PD, 55PD, 65PD, 55AP, 65AP, 42AT/H, 48AT/H, 42PD/AP/C, 48PD/AP/C, 65PD, 65PD/AP, Genesis 55, Genesis 55/AP, Genesis 55/AP-US, MAX 44, MAX 44BT, MAX 44/H, MAX 44T, MAX 50T, MAX 50BT, MAX 50/SC, MAX 54, MAX 54/H, MAX 55, MAX 55BT*, MAX 55/H, MAX 55/SC, MAX 55/SC/H/3x, MAX 55T*, MAX 65, MAX 65T, MAX 65-US, MAX 65BT, MAX 65/H, MAX 65/H/3x, MAX 65/SC, Endura 42, Endura 44, Endura 46, Endura 50, Endura 55, Endura Pro 46, 50AT, 50PD, 55PD/AP, 55PD-US, 55AP-US, 55AT, 55AT/H, 65PD-US, 65AP-US, 65AT, Spider 48, RT42/S, RT50/S, RT50/S/sc, RT50/SC, RT55/S*, RT55/B/H*, RT55/b/sc/l & d, RT55/b/l & d/3x, RT55/b/bg/3x, RT55/SC/H, RT55/AP, RT65/S, RT65/B, RT65/B/sc/l & D/3x, RT65/AP, RT48/AP, Camo 44, Vantage 50, Vantage 55, PowerMax 52, 54P Pontoon, 64PD Pontoon, PowerMax 47, Vector 46, Vector 55, Vector 55/3x, Vector 65, Vector 65/3x, Neptune Primary Propulsion Motors: EP42, EP48, EP65, EP96, EP130
				24.99
				*Refer to original prop on motor.
MKP-24				
5201454	1865013	Prop No.: Motor Dia.: Prop Nut Kit:	#2331130 4" "D"	MAX 101, MAX 101/H, MAX 101/H/3X, Vantage 101, RT101/S, RT101/S/3X, RT101/B, RT101/B/H, RT101/B/BG/3X, Vector 101/3X
				37.99
MKP-8				
5200769	1865007	Prop No.: Motor Dia.: Prop Nut Kit:	#2331120 4" "B"	595W, 595M, 599W, 599M, 795M, 795MX, 799M, 799MX, 3HPS/SBM, RT3.1/B, RT4.3/B, 3.1HP/B, 4.3HP/B, 95W, 95M, 99W, 99M, 3HP, 3HPS/STM, 395W, 395M, 399W, 399M, RT70/S, RT74/AP, RT74/S, RT74/S/3X, RT74/B/BG/3X, RT74/B/L & D/3X, 55EX, 70EX, RT70/B, RT74/B/H (Bow-guard),
				RT74/B/H (Latch & Door), 55AT/H, 70AT/H, 70T/H, 74PD, 74PD/AP, 74PD/AP-US, 4HP, RT3.1/S, RT4.3/S, 3.1HP/S, 4.3HP/S, 64AP, MAX 74, MAX 74-US, MAX 74/H, MAX 74/H/3X, MAX 74T, MAX 74BT, 64PD, 62PD/AP, Vantage 74, Genesis 74/AP, Genesis 74, Genesis 74/AP-US, Vector
				74/3X
				Mag Series: 36W, 36M, 40W, 40M, 736MX, 740MX, 36MTM, 36WRM, 36MRM, 40WRM, 40MRM, 40MRW
				34.99
WEEDLESS WEDGE™ 2 PROPS				
MKP-32				
5202016	1865017	Prop No.: Motor Dia.: Prop Nut Kit:	#2091160 3-5/8" "A"	Motor Models w/Serial Number Prefix "WW" 55AT, 55AT/H, 70AT, Max55/SC, Max55, Max55/SC/H, Max55SC/H/3X, Max70, Max70/H/3X, Max70/SC, Max70/S/CH, Max70/US, Max55T, Max, 70T, 50PD, 55PD/AP, 55PD/AP/US, 55PD/US, 65PD, 54PDPontoon, 68PDPontoon, 70PD, 70PD70PD/US, 70PD/AP/US, Vector46, Vector55, Vector55/3X, Vector70, Vector70/3X, Edge45, Edge55, Edge55/H, Edge70, Endura 46, Endura 50, Endura55, Endura Pro46, Endura Pro55, Camo 55XL, RT55/B/H, RT55/B/SC/L&D, RT55/B/L&D/3X, RT55/B/3X, RT65/B/SC/L&D/3X, RT70/B/H, RT70/SC, RT55/AP, RT50/S, MK55EM, RT55EM, 26.99

continued next page

continued from previous page

continued from previous page

Trolling Motors	REPLACEMENT PROP SELECTION GUIDE					Sugg.Ret.
	Order #	Mfg. #	Type	Fits		
	<u>WEEDLESS WEDGE™ 2 PROPS</u>					
	MKP-33					
Audio/ Instruments	5202017	1865018	Prop.No.: Motor Dia.: Prop.Nut Kit	#2331160 4" "E"	Motor Models w/Serial Number Prefix "WW" Max80, Max80/US, Max80/H/3X, Max101, Max101/US, Max101/H, Max101/H/3X, MaxPro80, MaxPro80/US, MaxPro101, MaxPro101/US, Max80T, Max80/H, 80PD, 80PD/AP, 80PD/US, 80PD/AP/US, Vector80/3X, Vector101/3X, Vantage80, Vantage101, RTPro80, RTPro101, RT80B,RT80/B/L&D, RT8-/B/3X, RT80/B/L&D/3X, RT80/S, RT80/S/3X, RT101/B, RT101/B/3X, RT101/S, RT80AP, MK80EM, MK101EM, MK160EM,MK202EM, RT80EM, RT101EM,RT160EM,RT202EM	39.99
Depth Finders/GPS						
	<u>POWER PROPS</u>					
	MKP-2					
	5200342	1865002	Prop No.: Motor Dia.: Prop Nut Kit:	#2061121 3-1/4" "A"	35A, 35TA, 40TA, 50T, 65N, 65MXN, 35T, 50MXT, 65T, 765T, 765MXNA, 765MXT, 865,865T, 865MXT, 365T, 665T, 665MXNA, 665MXT, 555T, 565N, 565T, Endura 30, Endura 36, Endura 38, Endura 40, RT40/S, Endura Pro 32, Endura Pro 38, PowerMax 30, PowerMax 36 Mag Series: 24, 30, 36, 40 Ltd. Series: 24, 36, 536	13.99
Water Sports						
	MKP-25					
Safety/ Optics	5204899	1865015	Prop No.: Motor Dia.: Prop Nut Kit:	2091130 3-5/8" "A"	Old Engine Mount (EM) Series 42, 44, 48, 54 & 96	25.99
Boat Access.						
	MKP-37					
	5204592	1865022	Prop No.: Motor Dia.: Prop Nut Kit:	2091170 3-5/8" "A"	Endura C2 55, Endura C2 50, Camo 55, Traxxis 70, Traxxis 55/SC, Traxxis 55, RT55/T, RT50/SC/T	25.99
Mooring/ Docking						

MotorGuide®



MOTORGUIDE® X3™ - FRESHWATER - BOW MOUNT HAND CONTROL

Large soft grip extending handle. Best in class 1-1/4" aluminum column. 2-Year factory warranty.

Trailers/ ATV Access.	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
	5204910	940200010		50"	45#	12	Gator® Flex 360	5/2	\$279.99
	5204911	940200020		50"	55#	12	Gator® Flex 360	5/2	429.99

DIGITAL &



MOTORGUIDE® VARIMAX™ - FRESHWATER - BOW MOUNT

Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" aluminum shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models). One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.

Camping	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
	BOW HAND CONTROL								
	5204506	966080020	V55 HB	50"	55#	12	Gator® Flex 360	Variable	\$449.99
	5204547	966080035	V75 HB	50"	75#	24	#20.8 Gator Breakaway	Variable	679.99
	PONTOON HAND CONTROL								
Cutlery	5204508	966050010	V55 HP	50"	55#	12	Pontoon	Variable	414.99
	5204548	966050025	V75 HP	50"	75#	24	Pontoon	Variable	514.99

MotorGuide®

DIGITAL &



MOTORGUIDE®

SONAR READY WIRELESS w/LOWRANCE® TRANSDUCER

Built-in Lowrance® 200 kHz Transducer and Temperature Sensor compatible with most Lowrance® units. Quick, easy motor installation - no transducer cables, wire-ties or hose clamps running down shaft. Lowrance® 6-pin transducer connector standard, (adapters also available for Humminbird®, Vexilar® & Garmin®). Easy-to-use Wireless Foot Pedal with On/Off, Right/Left and Faster/Slower motor commands. Simple, precise wireless boat positioning from anywhere on deck, use pedal sitting or standing. Digital electronics. Composite shaft. Heavy-duty, Cradle Lock™ mount with ergonomic handle added to cable, quick release, lockable mounting plate and designed for easy one-hand, stow/deploy. Built-in battery meter includes 4 levels of charge data. Pontoon friendly. Built-in receiver allows addition of up to 4 Wireless Hand-Helds or Wireless Foot Pedals in any combination. Power Prop 3.5". Hand Held Remote Sold Separately. See Page 18.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204197	970100100	W55L	54"	55#	12	Cradle Lock™	Variable	\$769.99
5204198	970100110	W75L	48"	75#	24	Cradle Lock™	Variable	769.99
5204199	970100120	W75L	60"	75#	24	Cradle Lock™	Variable	919.99

MOTORGUIDE®

DIGITAL WIRELESS SERIES - BOW MOUNT

Easy-to-use Wireless Foot Pedal with On/Off, Right/Left and Faster/Slower motor commands. Simple, precise wireless boat positioning from anywhere on deck, use pedal sitting or standing. Digital electronics. Composite shaft. Heavy-duty, Cradle Lock™ mount with ergonomic handle added to cable, quick release, lockable mounting plate and designed for easy one-hand, stow/deploy. Built-in battery meter includes 4 levels of charge data. Fits any boat & stands up to rough-water pounding. Runs up to four remote inputs including handheld remote control. Rough-water lower unit cradle. Integrated battery indicator. Pontoon friendly. Built-in receiver allows addition of up to 4 Wireless Hand-Helds or Wireless Foot Pedals in any combination. Wireless Handheld Remote Sold Separately. See Pg. 18.

DIGITAL &



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204606	970100360	W45	48"	45#	12	Cradle Lock™	Variable	\$579.99
5204607	970100370	W45	54"	45#	12	Cradle Lock™	Variable	589.99
5202123	970100020	W55	48"	55#	12	Cradle Lock™	Variable	659.99
5202124	970100030	W55	54"	55#	12	Cradle Lock™	Variable	669.99
5202125	970100060	W55	60"	55#	12	Cradle Lock™	Variable	679.99
5202126	970100080	W75	48"	75#	24	Cradle Lock™	Variable	819.99
5202127	970100040	W75	54"	75#	24	Cradle Lock™	Variable	829.99
5202128	970100050	W75	60"	75#	24	Cradle Lock™	Variable	839.99

A

B

C

DIGITAL &

MOTORGUIDE®

FRESHWATER SERIES - BOW MOUNT

Quiet smooth operation. Compact lightweight lower units. Microswitch designed to withstand demands of harsh, wet conditions. Machete® III prop. NOTE: Variable Speed Models feature: Digital Guardian speed control, completely sealed and protected from heat, moisture, corrosion and shock, greatly improving durability, improved efficiency, extended battery life.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Illus.	Sugg.Ret.
FOOT CONTROL-RACK & PINION STYLE									
5204593	921310200	FW40 FB	36" Alum.	40#	12	Gator™ Flex 360	5	A	\$349.99
5204415	921310210	FW40 FB	42" Alum.	40#	12	Gator™ Flex 360	5	A	354.99
5202082	921310110	FW46 FB	36" Alum.	46#	12	Gator™ Flex 360	5	A	359.99
5202083	921310120	FW46 FB	42" Alum.	46#	12	Gator™ Flex 360	5	A	364.99
5202084	921310140	FW46 FB	50" SS	46#	12	Gator™ Flex 360	5	A	379.99
5202085	921310130	FW46 FB (84" cable)	42" Alum.	46#	12	Gator™ Flex 360	5	A	479.99
5202087	921310160	FW54 FB	42" Alum.	54#	12	Gator™ Flex 360	5	A	509.99
5202088	921310170	FW54 FB	50" SS	54#	12	Gator™ Flex 360	5	A	524.99
5204595	921310440	FW75 FB	45" SS	75#	24	#20.8 Gator Breakaway	5	C	689.99
5204596	921310450	FW75 FB	50" SS	75#	24	#20.8 Gator Breakaway	5	C	699.99
HAND CONTROL-EXTENDED TWIST TILLER									
5204277	923410020	FW109 HB Digital	50" SS	105#	36	Gator Spring HB 21 FW	Var/Rev	B	969.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors**MotorGuide®**Audio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**MOTORGUIDE®****BULLDOG™ FRESHWATER SERIES - BOW MOUNT**

Popular and compact trolling motor now provides a bigger underwater punch w/54 lbs. of thrust. The value-packed unit offers pond hoppers 360°, rack-and-pinion, foot control maneuverability through stumps & weedy obstacles for hands free fishing. Foot control pedal mounted on the bow or transom via an economical, aluminum transom mount built to take a pounding.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204472	921500090	Bulldog	30"	54#	12	#09 Wide-Bite	5/2	\$449.99

DIGITAL **MOTORGUIDE®****VARIMAX™ - SALTWATER SERIES - BOW MOUNT**

Anodized aluminum mounts & components. Self-healing aluminum coating on the lower unit serves as the ultimate shield against corrosion & abuse. Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" SS shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts. One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BLUESPEED™ SPEED INDICATOR								
5204512	966180810	V55 SW HB	50"	55#	12	Gator™ Flex 360	Variable	\$529.99
5204550	966180830	V75 SW HB	50"	75#	24	#20.8 Gator Breakaway	Variable	749.99
5204551	966180840	V75 SW HB	60"	75#	24	#20.8 Gator Breakaway	Variable	849.99

**DIGITAL** **MOTORGUIDE®****GREAT WHITE® SALTWATER SERIES - BOW MOUNT**

Designed for the extreme test of saltwater. Multi-step lower unit coating process includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer. TGIC polyester topcoat protects against dings and scratches. Dual saltwater anodes for ultimate galvanic corrosion protection. Stainless steel shaft, fasteners and control cables. Anodized aircraft aluminum mounts with stainless components. Machete® III prop. NOTE: Digital Guardian - electronics are epoxy-coated and fully sealed in waterproof lower unit.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
HAND CONTROL-TWIST TILLER								
5202102	924410050	SW82HB Digital	50"	82#	24	Gator™ 21 RSW	Var/Rev	\$999.99
5202103	924410060	SW82HB Digital	60"	82#	24	Gator™ 24 RSW	Var/Rev	1049.99
5204563	924410070	SW109HB Digital	50"	105#	36	Gator™ 21R HB	Var/Rev	1099.99
5202105	924410080	SW109HB Digital	60"	105#	36	Gator™ 24 RSW	Var /Rev	1149.99



MotorGuide®

MOTORGUIDE® TOUR SERIES - BOW MOUNT

Quiet, smooth operation. Stainless steel shafts, components, metal head & pedal. Digital Guardian™ speed control, completely sealed and protected from heat, moisture, corrosion and shock, greatly improving durability. Improved efficiency for extended battery life. Machete® III prop. Compact, lightweight lower units. Microswitch designed to withstand demands of harsh, wet tournament conditions. No play, pull-pull adjustable steering.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
FRESHWATER BOW MOUNT								
5204597	930010390	TR75 FB Digital	45" SS	75#	24	#20.8 Gator Breakaway	Variable	\$859.99
5201720	9BT42GAFF	TR82 FB Digital	45" SS	82#	24	#21 Gator Spring	Variable	1079.99
5201721	9BT52GAFF	TR82 FB Digital	50" SS	82#	24	#21 Gator Spring	Variable	1089.99
5201726	9BX43GAFF	TR109 FB Digital	45" SS	105#	36	#21 Gator Spring	Variable	1169.99
5201727	9BX53GAFF	TR109 FB Digital	50" SS	105#	36	#21 Gator Spring	Variable	1179.99

MOTORGUIDE® TOUR SERIES - LOWRANCE® OPTIMIZED

Redesigned motors w/built-in Lowrance® sonar nose cone transducer & temperature sensor to optimize sonar performance. Built-in 83/200kHz Lowrance® transducer provides clear, clean signals at 200kHz and is easily adaptable to Humminbird®, Vexilar® and Garmin® units via the 7 pin Lowrance® Blue/Gray connector coming out of the Tour Series foot pedal. For Lowrance® users, the built-in transducer offer 83kHz operating advantages w/increased field-of-view & broadband capabilities when connected to Lowrance® broadband capable options. More accurate temperature readings because the housing exposes a greater surface area of the probe to ambient conditions. Hardware on Tour Series motors is better than ever. Pulleys beneath each pedal have been upgraded to cold hard stainless for increased strength, smoother operation and better compatibility with the higher grade stainless cables. Shaft bearings to reduce noise. Variable speed control knob features easier to read speed settings and is made of a durathane material that greatly improves impact resistance. Adapter Sold Separately. See Page 18.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204474	930011020	TR82L FB Digital	45"	82#	24	#21 Gator Spring	Variable	\$1149.99
5204475	930011030	TR82L FB Digital	50"	82#	24	#21 Gator Spring	Variable	1159.99
5204476	930011040	TR82L FB Digital	60"	82#	24	#24 Gator Spring XL	Variable	1209.99
5204477	930011050	TR109L FB Digital	45"	105#	36	#21 Gator Spring	Variable	1239.99
5204478	930011060	TR109L FB Digital	50"	105#	36	#21 Gator Spring	Variable	1249.99
5204479	930011070	TR109L FB Digital	60"	105#	36	#24 Gator Spring XL	Variable	1299.99

MOTORGUIDE® VARIMAX™ - FRESHWATER - TRANSOM MOUNT

Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" aluminum shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models). One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204602	966000010	V40 HT	30"	40#	12	Aluminum/#09 Transom	Variable	\$244.99
5204907	966000020	V40 HT	36"	40#	12	Aluminum/#09 Transom	Variable	254.99
5204603	966000030	V45 HT	36"	45#	12	Aluminum/#09 Transom	Variable	264.99
5204908	966000040	V45 HT	42"	45#	12	Aluminum/#09 Transom	Variable	274.99
5204604	966000050	V55 HT	36"	55#	12	Aluminum/#09 Transom	Variable	324.99
5204605	966000070	V70 HT	42"	70#	24	Aluminum/#09 Transom	Variable	394.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors**MotorGuide®**Audio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

MOTORGUIDE®**R3 SERIES-HAND CONTROL - TRANSOM MOUNT**

Aluminum alloy construction w/rugged powder coat finish & stainless steel hinge pins. Aluminum column. Stainless steel propeller shaft & 3-Blade Machete prop. Includes easy-to-use tilt/stow/deploy mechanism & swing over knobs on the clamp screws, allowing you to lock the motor to the transom. Aluminum mount w/7-point adjustment. Twister tiller - classic 5 speed forward/2 speeds reverse controls & reversible motor head create a dependable yet versatile motor. Quiet operation. One-touch, rapid slide-depth adjustment collar.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
FRESHWATER USE								
5204598	940100070	R3-30 HT	30"	30#	12	#03 Transom	5/2	\$114.99
5204599	940100020	R3-40 HT	36"	40#	12	#03 Transom	5/2	174.99
5204600	940100030	R3-45 HT	36"	45#	12	#09 Transom	5/2	199.99
5204601	940100050	R3-55 HT	36"	55#	12	#09 Transom	5/2	244.99

DIGITAL**MOTORGUIDE®****VARIMAX™ - SALTWATER SERIES - TRANSOM MOUNT**

Anodized aluminum mounts & components. Self-healing aluminum coating on the lower unit serves as the ultimate shield against corrosion & abuse. Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" SS shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts. One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BLUESPEED™ SPEED INDICATOR								
5204608	966100020	V45 SW HT	36"	45#	12	#09 Transom	V/R	\$339.99
5204609	966100030	V55 SW HT	36"	55#	12	#09 Transom	V/R	429.99

MOTORGUIDE®**GREAT WHITE® SALTWATER SERIES - TRANSOM MOUNT**

The choice of guides, competitive anglers and die-hards. Designed for extreme test of saltwater - heat-corrosion-big-water pounding. Digital power. Multi-step lower unit coating process includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer. TGIC polyester topcoat protects against dings and scratches. Dual sacrificial anodes for ultimate galvanic corrosion protection. Stainless steel shaft, and fasteners. Digital Guardian module is epoxy-coated and fully sealed in waterproof lower unit, protected from heat, moisture, corrosion and shock, greatly improving durability. Anodized aircraft aluminum mounts and components. prevent galvanic corrosion. Machete® III prop.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5201712	9CX53KQAX	SW109HT Digital	50"	105#	36	#09 Wide-Bite SW	Var/Rev	\$749.99


MotorGuide®

MOTORGUIDE® SALTWATER WIRELESS

Extremely efficient & remarkably quiet. Comes standard w/easy-to-use, high frequency, low-profile Wireless Foot Pedal. Built-in battery indicator. Strong composite shaft. Stainless steel propeller shaft & 3-Blade Machete III propeller. Oversized bushings last longer & increase battery life for optimum trolling time at every level. Designed to stand up to the pounding of rough-water runs. Includes Cradle-Lock™ w/quick release, lockable, aluminum mounting plate that virtually fits any boat. Paint job resists corrosion. Wireless Handheld Remote Sold Separately. See Pg. 18.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204570	970200010	W55 SW	48"	55#	12	Cradle-Lock™	Variable	\$849.99
5204571	970200020	W55 SW	54"	55#	12	Cradle-Lock™	Variable	859.99
5204572	970200030	W75 SW	48"	75#	24	Cradle-Lock™	Variable	919.99
5204573	970200040	W75 SW	60"	75#	24	Cradle-Lock™	Variable	939.99

MOTORGUIDE® REPLACEMENT PROPS



Order #	Mfg. #	Prop Style	Dia.	Blades	Type	Illu.	Sugg.Ret.
5204532	8M0028330	Safari™	3-1/2"	2	Weedless	A	\$33.99
5202132	MGA089W	Machete® III™ (Glass filled)	3-1/2"	3	Weedless	B	44.99
5202133	MGA089G	Grey Machete® III (Glass filled)	3-1/2"	3	Weedless	C	44.99
5201865	MGA089B	Machete® III (Composite)	3-1/2"	3	Weedless	D	33.99
5201319	MGA087M	Machete® (Metal)	3-1/2"	3	Weedless	E	58.99
5200414	MGA0476B	Ninja®	3"	2	Power	F	33.99
5200416	MGA0495B	Ninja®	3-1/2"	2	Power	G	33.99



MOTORGUIDE® LOWRANCE® OPTIMIZED TOUR SERIES SONAR-READY ADAPTORS

5204525: Lowrance® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204526: Vexilar® 3-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204527: Garmin® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204528: Humminbird® 7-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

Order #	Mfg. #	Model	Sugg.Ret.
5204525	8M4001959	Lowrance® 6-pin	\$35.99
5204526	8M1001960	Vexilar® 3-pin	35.99
5204527	8M4001961	Garmin® 6-pin	35.99
5204528	8M4001962	Humminbird® 7-pin	35.99

MOTORGUIDE® WIRELESS SONAR ADAPTORS

Order #	Mfg. #	Model	Sugg.Ret.
GARMIN®			
5204906	8M0029351	6-pin	\$28.99
HUMMINBIRD®			
5204389	8M0029532	6-pin to 7-pin w/Temp	35.99
LOWRANCE®			
5204213	8M4000386	6-pin to 7-pin(Blue/Gray)	17.99

MOTORGUIDE® 6-GAUGE BATTERY CABLE & TERMINALS

Includes 50 amp manual reset breaker w/ heavy-duty cable & terminal.

Order #	Mfg. #	Sugg.Ret.
5204905	MM309922T	\$18.99



MOTORGUIDE® DRC DIGITAL REMOTE CONTROL

FOR: Wireless Series. Digital wireless remote. Constant On/Off, Left/ Right & digital speed control. Multiple DRC remote capable. Easy set-up & installation. High speed steering & response.

Order #	Mfg. #	Sugg.Ret.
SPARE REMOTE FOR MULTIPLE KEY FOB APPLICATIONS		
5201891	M887657	\$72.99
STORAGE CASE FOR FOOT PEDAL & KEY FOB		
5204156	MGA505A1	36.99
WIRELESS FOOT PEDAL		
5204325	8M4000952	105.99

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

MotorGuide®



MOTORGUIDE® 20.8 GATOR BREAKAWAY

Hinged door for quick access/motor removal. Center Decklet adds mounting flexibility with prop in or out options. Oversized 3/8" stainless steel pins and componentry. Extruded aircraft aluminum base. Easy-grip rubber knobs. Single-hand stow and deploy with quick snap of the wrist. Consistent hole patterns from mount to mount.

Order #	Mfg. #	Sugg.Ret.
5204480	8M4002192	\$249.99

MOTORGUIDE® GATOR™ FLEX 360

Exclusive, patent-pending Flex Isolator design acts as built-in shock absorber to protect motor from impact and vibration. 360° Breakaway protection in run position w/automatic reset. Isolates motor from vibration and jarring in rough water. Proprietary Mercury® Marine-grade XK360 die-cast aluminum offers unmatched strength, lightweight performance and a MotorGuide® exclusive. Gated door for easy motor removal. Transducer slots are molded into each half of Rubber Flex Isolator to protect transducer cables and allow for door to be easily closed.

Order #	Mfg. #	Model	Finish	Sugg.Ret.
5204162	8M4501607	Freshwater	Black	\$199.99



MOTORGUIDE® 21 GATOR™ SPRING

Hinged door for quick access motor removal. Stainless steel pins and componentry. Extruded aircraft aluminum or proprietary Mercury® Marine-grade XK360 die-cast aluminum. Easy-grip rubber knobs. Consistent hole patterns from mount to mount. Includes mounting hardware for easy installation.

Order #	Mfg. #	Sub-Model	Finish	Sugg.Ret.
5201738	8M4002190	21	Black	\$299.99
5204164	8M4002195	21RSW	White	399.99



MOTORGUIDE® REMOVABLE MOUNT PLATE

With the pull of a pin, this "quick release" mounting system provides easy on, easy off access. Universal hole patterns. Fits the Flex 360, 20.8, 21, 24, 21R, 24 & 24R Gator style mounts.

Order #	Mfg. #	For	Sugg.Ret.
5204564	MGA501A2	Freshwater	\$114.99
5204152	MGA515A2	Saltwater	114.99



MOTORGUIDE® MOUNTING BOLTS & ISOLATORS

Above deck/easy mounting. Absorbs rough water shock and trailering. 4 bolts per package.

Order #	Mfg. #	Sugg.Ret.
5200165	MGA015PB6	\$17.99



MOTORGUIDE® BOUNCE BUSTER® & BOUNCE BUSTER® II

Designed for the Gator Mount. Prevents mount, motor & boat damage in rough waters.

Order #	Mfg. #	For	Sugg.Ret.
5201660	MGA097B6	21/24 Gator II Mount	\$47.99



MOTORGUIDE® TROLLING MOTOR TIE DOWN STRAP

Keeps motor firmly in place while running at high speed.

Order #	Mfg. #	For	Sugg.Ret.
5204157	MGA507A1	Gator 360	\$13.99



MOTORGUIDE® STANDARD MOTOR REPLACEMENT PARTS

Order #	Mfg. #	Type	Sugg.Ret.
GATOR FLEX 360 ISOLATOR REPLACEMENT			
5204514	8M4000305	2-piece gate bushing	\$16.99
HANDLE			
5204155	MGA504A1	14" Fixed Extension handle	17.99
MOUNTING COMPONENTS			
5204153	MGA506A1	Wireless Mount Plate Cover	28.99
5204210	8M4000292	Wireless Mount Plate Cover (White)	28.99
5204517	8M4000975	Wireless Mounting Kit	38.99
PROP COVER			
5204205	8M4000274	Neoprene, 3-Blade	23.99
PROP KIT			
5200417	MGA050B6	Prop nut, wrench, prop pin kit	15.99
SWITCHES AND COMPONENTS			
5204524	MM5870	50 amp Circuit Breaker	15.99



NAVIGATOR® TOURNAMENT SERIES TROLLING MOTOR

Weatherproof remote controls w/totally sealed membrane switches. Pulse Width Modulation Electronics withstands harsh environments. Variable speed control with forward, reverse, & soft start. Efficient, powerful, custom-made motors. Individually balanced, tested motor armatures. Designed to be permanently mounted on all O/B, I/O, pontoons and deck boats.

Order #	Mfg. #	Sub-Model	Thrust	Volt	Sugg.Ret.
5200726	65-3500	3500	35 lbs.	12	\$589.99
5201654	65-5200	5200	52 lbs.	12	599.99
5200728	65-5500	5500	55 lbs.	24	599.99
W/STAINLESS STEEL BRACKET					
5200729	65-5501	5501	55 lbs.	24	669.99
NAVIGATOR® POWER PROP					
5202052	68-8302				34.99




PINPOINT™ ACCESSORIES.

Order #	Mfg. #	Application	Sugg.Ret.
CONSOLE TO BOW AUXILIARY "Y" CABLE			
5201306	MCBAY20	20' cable w/one 6-pin connector going to two 9-pin connectors- Allows System to connect any Standalone Display	\$49.99



YOUNG DIE-CAST ALUMINUM TROLLING PROPS

Precision die-cast aluminum trolling props.



Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200343	T-1	MINN KOTA	Older models 40, 60, CDR, HGR & UWR - 7" prop w/counter clockwise rotation & 3/8" shaft	\$14.99
5200427	T-2	SILVER TROLL	Older models with 1/2" shaft size; 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200345	T-3	MOTORGUIDE	Older models w/oversize 1/2" shaft - 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200424	T-4	SHAKESPEARE, PFLUEGER, PHANTOM, SEAR, WESTERN AUTO	Older models w/2 blade 5-3/4" prop & 5/16" shaft	14.99
5200587	T-7	ELECTRA PAL & TROLLMASTER	Models w/5-1/2" prop & 5/16" shaft size	14.99
5200348	T-8	MOTORGUIDE	Older Super MotorGuide & Magnum models - 5-1/2" prop w/3/8" shaft	14.99
5200346	T-10	MINN KOTA & ROBOTROL	Through 1983 MinnKota models 50, 55, 55A, 55B, 55C, 355, 355A, 355B, 355C, 550, 555, 555A, 555B, 555C, Mag 4, Mag 4RM, Mag 12, Mag 12RM, Mag 12TM, Mag 12A, Mag 15, Mag 5RM, & Mag 15TM - 5-3/4" prop w/3/8" shaft	14.99
5200344	T-11	MINN KOTA	Through 1983 models 10, 10A, 10B, 15, 15A, 15B, 15C, 20, 25, 30, 35, 35A, 35B, 530, 535, 535A, 535B, 735 & Mag 12X - 5-3/4" prop w/5/16" shaft	14.99
5201217	T-12	SILVERTROL	Challenger, Executive, Executive Deluxe, Executive Pro & Pathfinder - 5-1/2" prop w/5/16" shaft size	14.99
5200356	T-13	JOHNSON & EVINRUDE	Motors w/5-1/2" prop & 3/8" dia. shaft	14.99
5200347	T-15	MINN KOTA	Through 1983 models 55D, 355D, 555D, 565, 65, 75A, 575A, Mag 18 & Mag 24A - will also replace standard 9" prop on other models where a slightly smaller and stronger prop w/excellent performance is desired - 7" prop w/3/8" shaft	14.99
5200357	T-18	MOTORGUIDE	Older models Hawg & Brute - 7" prop w/3/8" shaft size & counter clockwise rotation	14.99
5200585	T-5W	BYRD	Eagle & Double Eagle - 6-1/2" high performance weedless prop w/3/8" shaft size (also includes adapter for 5/16" shaft size) - clockwise rotation & 2-1/2" hub - also fits older Lazytrol (except Lazytrol Jr.) - This prop replaces Young T-5 prop	18.99
5200350	T-19W	MERCURY & MINN KOTA	Universal 10-1/2" high performance weedless prop for gear driven Mercury Thruster & Thruster Plus; also fits Minn Kota models 85, 385, 585, Mag 28, Mag 28TM, Mag 28RM, 85W, 85A, 385A, 385W, 585B & 585A - 3/8" shaft size & 3" hub w/clockwise rotation	24.99
5200349	T-20W	MINN KOTA & MOTORGUIDE	Weedless models 55W, 65W, 555W & 565W - Will replace standard 9" prop on most older Minn Kota models; Fits newer MotorGuide weedless models, Hawg, Brute MotorGuide III & Warrior; will also replace standard 6-1/2" prop on most older models MotorGuide w/3" dia. motor; 8" high performance weedless prop w/3/8" shaft size & 3" hub w/counter clockwise rotation	24.99
5200358	T-21W	SHAKESPEARE	3" dia. motors, Sigma 25, 25BM, 28, 28B, 28BMRC, 30, 30B, 30BMRC, 25W, 30W, 35W, Sigma Supra 280, 280BM, 280W, 330 & 330W. 8" high performance weedless prop w/3" hub & 3/8" shaft size (also includes adapter for 5/16" shaft size)	24.99
5200590	T-23W	JOHNSON & EVINRUDE	12/24 volt weedless models - 8-3/4" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99
5200425	T-25W	MERCURY & MARINER	New 12/24 volt weedless models - 8-3/8" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

REPLACEMENT PARTS

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery


**ANGLER'S PAL
TROLLING MOTOR MOUNT**

Mount features a unique rubber lock down strap that eliminates the trolling motor from moving when flying across the lake or traveling down the road. Stainless steel/black hard anodized aluminum for fresh & saltwater use. OAL: 10".

Order #	Mfg. #	Sugg.Ret.
5204556	AP-MM10	\$95.99


**BIG FOOT® MARINE
BIG FOOT 2 TROLLING
MOTOR HANDLE**

One size. Fits any hand-operated trolling motor. Adjustable horizontal position: 36" to 48". Adjustable vertical position: 23" to 35". Features twist & lock grip for easy operation. Attaches to trolling motor shaft with patented non-slip 4-bolt locking system. Easy to install.

Order #	Mfg. #	Sugg.Ret.
5201659	BFH-2	\$49.99


**BIG FOOT® MARINE
TROLLING MOTOR SWITCH**

Two switches in one. Momentary and on/off. For all hand-operated 12V or 24V trolling motors.

Order #	Mfg. #	Sugg.Ret.
5202051	BFS-2-1	\$18.99


**BOATBUCKLE®
TROLLING MOTOR
TIE-DOWN SYSTEM**

Black webbing. Shur-Grip release handle allows for a comfortable, secure hold. Mounting screws countersink into rubber grommets, keeping metal hardware away from equipment. Sold by the pair.

Order #	Mfg. #	Type	Sugg.Ret.
5202027	F15437	Standard Trolling Motor	\$14.99



Johnny Ray LLC
New Ideas for Better Fishing !!

**JOHNNY RAY
SPEED REEDED
UNIVERSAL
TRANSOM MOUNTED
TRANSDUCER BRACKET**

Eliminates your high speed depth sounder reading problems. Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/ stainless steel hardware. Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering. Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface. Keeps the transducer in clean (non-turbulent) water at speed or when cornering. "Kick-up" design protects your transducer from floating or hidden objects under water.

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	\$34.99


**JOHNNY RAY
TRANSDUCER MOUNTING BRACKET**

Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor. Brackets offset the transducer to the side of the motor to protect it from damage. Also allows for easy cone angle adjustments to make the unit perform to its true potential. The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90° to the lake bottom. Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware.

Model JR-1: Fits 1" dia. shaft: MotorGuide, Evinrude, Johnson, OMC.
Model JR-2: Fits: Minn Kota.


Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	\$16.99
5000632	JR-2	JR-2	16.99

Marinco

**MARINCO®
CONNECT PRO RECEPTACLE & PLUG**

Receptacle: Universal design for 2 or 3-wire configuration 12, 24, 12/24, 24/36 or 36 volt systems. Watertight sealing cap. Corrosion-resistant, plated brass electrical components. Drain holes keep water away from electrical components. Perma-Lock™ screw terminals will not loosen under extreme hull vibration. Standard 1-1/8" dia. mounting hole. Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation. Accepts up to 8 ga. wire. Easily replaces other trolling motor plugs and receptacles. Plug: O-ring seal for waterproof connections. Weather-resistant plug cover. Corrosion-resistant, plated brass electrical components. Accepts up to 8-ga. wire. Ergonomic contoured grip for easy hookup & ground blade alignment.

Order #	Mfg. #	Type	Sugg.Ret.
5201500	12VCP	Receptacle & Plug	\$52.99
5201501	12VBR	Receptacle Only	28.99
5201502	12VBP	Plug Only	23.99
5201587	12VBRAD	Adaptor for 6-ga. wire	23.99





MARINCO® TROLLING/CHARGING SYSTEM

4-wire Trolling/Charging System eliminates need for charge/run switch. Install receptacle on boat, mount black trolling motor plug on trolling motor & red charger plug on leads of battery charger. Plug in black plug to troll, or red plug to charge.

MARINCO® 12V CHARGER PLUG-MALE

Connects to 12V battery charger to allow simultaneous charging of two 12V batteries when plugged into receptacle. Red



Order #	Mfg. #	Sugg.Ret.
6003015	2018BP-12	\$32.99

MARINCO® 12/24V TROLLING MOTOR PLUG-MALE

Connects to trolling motor. Jumpered internally to supply 12V & 24V power to trolling motor when plugged into receptacle. Black.



Order #	Mfg. #	Sugg.Ret.
6001817	2018BP-24	\$29.99

MARINCO® 12/24V LOCKING SYSTEM-RECEPTACLE & BRACKET

Spring loaded flip lid cover & 2018BR receptacle, pre-assembled. Convenient mounting.



Order #	Mfg. #	Sugg.Ret.
6031994	2018BR-MB	\$96.99

MARINCO® 12/24V LOCKING SYSTEM-TROLLING MOTOR RECEPTACLE

Glass-reinforced, corrosion-resistant nylon. Accepts 8-ga. stranded wire or up to 6-ga. with ring terminals. Black



Order #	Mfg. #	Sugg.Ret.
6001818	2018BR	\$62.99

MARINCO® MOUNTING BRACKET

Spring-loaded flip lid cover. Without receptacle.



Order #	Mfg. #	Sugg.Ret.
6001971	2018MB	\$36.99

MARINCO® 12/24V TROLLING MOTOR PACKAGE

Includes: 2018BP-12, 2018BP-24 & 2018BR-MB Economically priced, conveniently packaged in one pack.



Order #	Mfg. #	Sugg.Ret.
6001972	2018PKG	\$123.99



MARINEWORKS 12V TROLLING MOTOR SOCKETS

Female: 12 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5011-02.

Male: 12 volt with butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5010-02.



Order #	Mfg. #	Type	Sugg.Ret.
6200065	WH10470	Female	\$18.99
6200066	WH10480	Male	15.99

MARINEWORKS 24V TROLLING MOTOR SOCKETS

Female: 24 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5011-03.

Male: 24 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5010-03.



Order #	Mfg. #	Type	Sugg.Ret.
6200067	WH10490	Female	\$21.99
6200068	WH10500	Male	17.99

MARINEWORKS MALE BOAT SIDE CONNECTOR


12 Volt: 6" w/butt connector. 8-ga. Ready-wired . 24 Volt: 6" w/butt connector. 8-ga. Ready-wired



Order #	Mfg. #	Type	Sugg.Ret.
6201298	WH10520	12 Volt	\$19.99
6201300	WH10540	24 Volt	22.50

MARINEWORKS FEMALE MOTOR SIDE PLUG

12 Volt: 6" w/butt connector. 8-ga. Ready-wired . 24 Volt: 6" w/butt connector. 8-ga. Ready-wired




Order #	Mfg. #	Type	Sugg.Ret.
6201299	WH10530	12 Volt	\$17.99
6201301	WH10550	24 Volt	21.99



MAR-LAN ACCESSORY PANEL

Can be mounted almost anywhere. Attach 12 volt leads. 3"x3" brush sterling panel.



Order #	Mfg. #	Sugg.Ret.
5200255	6007-06C	\$20.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors**MAR-LAN** INDUSTRIESAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**MAR-LAN
TROLLING PLUG RECEPTACLE**

Troll plugs are molded w/flexible PVC at terminal location for easy plug-in alignment. Mounting surface on receptacles are molded w/rigid polypropylene. Fits in 1-1/8" hole - #10 mounting holes. 2-1/2"x1-3/4". Carded.



Order #	Mfg. #	Type	Sugg.Ret.
5200271	5011-02C	12V, 10 ga., 2 wire	\$6.99
5200272	5011-03C	12/24V, 10 ga., 3 wire	8.99

**MAR-LAN
TROLLING MOTOR PLUGS**

Male plugs are molded w/flexible PVC at terminal location for easy plug-in alignment. Carded.



Order #	Mfg. #	Type	Sugg.Ret.
5200252	5010-03C	12/24 Volt, 10 ga., 3 wire	\$8.99
5200253	5010-02C	12 Volt, 10 ga., 2 wire	6.99

**MAR-LAN
TROLLING MOTOR
WIRE, PLUG & RECEPTACLE SETS**

Designed to be flush-mounted in the bow of boat. Socket makes connection of trolling motor quick & easy. Set includes (1) motor side plug, 6"L wire lead w/butt connector & (1) female boat side socket/receptacle w/6"L wire lead w/butt connector.



Order #	Mfg. #	Wire	Sugg.Ret.
5204610	501-02-02C	10 ga.	\$14.99
5204611	501-28-2C	8 ga.	19.99

**MAR-LAN
TROLLING MOTOR PLUG - 3 WIRE**

Male plug.

Order #	Mfg. #	Type	Sugg.Ret.
5200736	5090-03C	12/24 Volt	\$7.99

**MAR-LAN
ACCESSORY SOCKET w/CAP**

Durable polypropylene plastic & all brass contacts to resist corrosion. Mounts in 1-1/8" hole with #10 mounting holes. 1-1/4"x2" face plate, 6" leads, 12 volt. Carded.



Order #	Mfg. #	Sugg.Ret.
5200256	5250C	\$10.99

PANTHER
By MarineTech**PANTHER™
AUXILIARY MOTOR STEERING KIT**

Ideal way to provide remote control steering for any type or size out-board trolling motor up to 25HP

Order #	Mfg. #	Finish	Sugg.Ret.
6306345	55-2600	Stainless	\$69.99

R&R DESIGN**R&R DESIGN INC.
RECESSED TROLLING
MOTOR PAN**

Powder coated aluminum. UV protected. Universal - any brand of trolling motor foot control will fit in the pan. Dimensions: 9-3/4"Wx17"Lx4"D. Outside flange dimensions: 12"Wx19-1/2"L.

Order #	Mfg. #	Sugg.Ret.
5204565	100RTMP	\$65.99


**new
RAM® MOUNTS
TROLLING MOTOR
STABILIZER MOUNT**

Consists of a double ball socket arm, 2.5" diameter round base that contains the universal AMPs hole pattern & single strap base. Strap will accommodate rails from 0.5" to 2" in diameter. Trolling motor stabilizer will take every bit of the vibration out of your trolling motor while all the time protecting the head, shaft & mount from damage. Powder coated marine grade aluminum. 1.5" rubber ball size.

Order #	Mfg. #	Sugg.Ret.
5204946	RAM-108	\$52.99

**RAM MOUNTS
TROLLING MOTOR
STABILIZERS**

Safely and securely attach the shaft of your trolling motor to your boat. Accommodates shafts up to 2" in diameter.

Order #	Mfg. #	Kit Features	Sugg.Ret.
5204466	RAM-108-1	5-5/8" arm & hardware	\$49.99
5204467	RAM-108-1-D	9-1/8" arm & hardware	69.99





ROD SAVER® TROLLING MOTOR TIE-DOWN

Specially designed for trolling motors. Keeps motor firmly mounted to boat and secure with less bouncing while traveling down lake.

Order #	Mfg. #	Length	Sugg.Ret.
5200760	TMS10	9" to 18"	\$11.99



ROD SAVER® FLAT FOOT RECESSED TRAY

For your trolling motor foot control. Allows you to improve your posture, reducing back pain. Boat deck is much less cluttered - no more tripping over the foot control. Constructed of heavy duty, durable 1/8" aluminum & has a baked-on powder coat finish. Will install in any brand of boat & comes w/easy to follow mounting instructions, cutting template, 2" of drain tube & stainless steel mounting hardware.

Minn Kota model: Hole size is 11-1/4"x16-3/4". Outside dimensions: 13-1/8"Wx18-1/4"Lx4"D. Inside floor dimensions: 11"x12".

MotorGuide model: Hole size is 9-3/4"x16-3/4". Outside dimensions: 11-1/2"Wx18-1/4"Lx4"D. Inside floor dimensions: 9-1/2"x12".

Order #	Mfg. #	Model	Sugg.Ret.
5204944	FFMK	Minn Kota	\$225.99
5204945	FFMG	MotorGuide	191.99



ROD SAVER® REPLACEMENT CABLE FOR TROLLING MOTOR ROPE

Durable, stainless steel braided cable replaces manufacturer's pull rope on your trolling motor. Will not rust, break or rot. Includes easy to follow installation instructions.

Order #	Mfg. #	Sugg.Ret.
5204922	TR	\$19.99



SPRINGFIELD QUICK TROLL TROLLING MOTOR SUPPORT

Allows for quick & easy removal of trolling motor. Mounting plate is 5-1/2"x20-1/2". Pre-drilled for MotorGuide trolling motors with 07 & 16 mounts. Also, retro-fits 01 & 15. Step pad covers included.

Order #	Mfg. #	Sugg.Ret.
5202148	1940055	\$91.99



SWIVL-EZE® TROL-LOCK

Allows quick removal of motor in seconds. Perfect for fish & ski & pontoon boats. 5-1/2"x20-1/2" black powder-coated base with 5-1/2" diameter mounting plates. Pre-drilled.

Order #	Mfg. #	Fits	Sugg.Ret.
5200332	5000	M/Guide 01, 07, 16 & 15 mnts.	\$119.99



T-H MARINE G-FORCE™ TROLLING MOTOR REPLACEMENT HANDLE & CABLE

Trolling motor replacement release & lift system is a rugged, nylon jacketed stainless steel cable with a large comfortable cushioned grip handle. Endorsed by B.A.S.S. Elite Pro "G-Man" Gerald Swindle. Fits most models and makes. Comes complete with a hook-n-loop strap to secure to the motor shaft while underway. Red handle.

Order #	Mfg. #	Sugg.Ret.
5204947	GFH-1R-DP	\$42.99



T-H MARINE TROLLING MOTOR & CHARGER POWER PLUG & RECEPTACLE

Heavy-duty use, handles high amps. Water tight seal. Gold contacts. Original equipment on Ranger® boats. Handles 12 or 24-volt systems.

Order #	Mfg. #	Type	Sugg.Ret.
5201588	TMBMP-1-DP	Plug	\$29.99
5201589	TMFR-1-DP	Receptacle	46.99



T-H MARINE TROLLING MOTOR MOUNT

Cast aluminum bracket, marine wood mounting block. Designed for clamp-on type electric trolling motors. NOTE: Maximum 36 lb. thrust. Motor must be removed & stowed before operating boat or trailering. NOT designed for OB's of any horsepower.

Order #	Mfg. #	Sugg.Ret.
5200205	TMM-1-DP	\$57.99



T-H MARINE TRANSDUCER MOUNTING KIT

Mounts transducer to trolling motor gear case. One 4" stainless steel clamp secures transducer. Includes 12 ties to secure cables.

Order #	Mfg. #	Sugg.Ret.
5201171	TMK-1-DP	\$9.99



Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

Trolling
MotorsAudio/
Instruments

T-H MARINE SURE FOOT™ TROLLING MOTOR SWITCH

For electric trolling motors. Rated to 50 AMPS
D.C. 15° tilt angle for ease of operation.



Order # 5200202 Mfg. # FCS-2-DP

Sugg.Ret.
\$19.99

Depth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance


Controls/
SteeringMotor
Access.

Camping

Cutlery

T-H MARINE EXTENDER

Designed for electric trolling motors. Easily installs on 1"x1-1/8" diameter shaft. Cast aluminum with SS shaft. Adjusts from 0"-30" long.



Order # 5200204 Mfg. # EX-1-DP

Sugg.Ret.
\$76.99



new

TRAC® TROLLING MOTOR RIGGING KIT

Use this high current power connection for all boats to power 12v or 24v trolling motors, winches, & any other 12v or 24v device up to 60 amps. Kit includes: TRAC's 12/24v high-current quick-connect system: 2 quick-connect plugs - 1 for boat/battery & 1 for trolling motor or other device, 1-1/2" round hole adapter & U-bracket. 35' of heavy 8-gauge AWG tin-plated marine-grade battery wire. 14" 8-gauge cross-over wire for 24v systems. 33' of corrugated wire loom. Heat-shrink terminations. High-current 50 amp manual resetting circuit breaker. 4 isolator bolts to install trolling motor or other device.

Order # 5204943 Mfg. # T10134

Sugg.Ret.
\$119.99



TRAC® TROLLING MOTOR CONNECTOR KITS

Kit includes (2) plugs/connectors, 1.5" round hole adapter, U-bracket, & 10" tin-plated connection wires. High current amp capacity. Strain relief seals wire & adds durability to the connector. Weatherproof connection w/soft seals. Snal-lock connection - holds connectors together w/6 lb. of force, yet pulls free if power wire is ripped away. Long bolts for thicknesses up to 1-1/8".

Order #	Mfg. #	Wire	Capacity	Sugg.Ret.
5204914	T10136	8 Ga.	80 amp	\$20.99
5204915	T10137	10 Ga.	60 amp	18.99

TRAC® TROLLING MOTOR PLUGS

One plug w/10" lead wires.



Order #	Mfg. #	Wire	Sugg.Ret.
5204916	T10138	8 Ga.	\$10.99
5204917	T10139	10 Ga.	9.99

TRAC® ISOLATOR BOLTS

Install your anchor winch, trolling motor, & other accessories from the top of your boat deck. Corrosion resistant Dacromet coated steel bolts. Saltwater capable. Protects your boat from vibrations. Easily installed in 1/2" hole w/Phillips head screwdriver. Long bolts for thicknesses up to 1-1/8".



Order #	Mfg. #	Qty.	Sugg.Ret.
5204912	T10075	4-Pack	\$11.99
5204913	T10076	8-Pack	22.99



TROLLMASTER™ PRO 2 REMOTE THROTTLE

Remote throttle for gas-powered trolling motors w/digital display & 10-times the throttle adjustment of the original PRO model. Unique memory feature allows you to return to the previously calibrated trolling speed after being in the idle position without moving the control knob, simply use the idle/run selector switch. Redesigned flat control panel w/ touch-button switches provides throttle control of an auxiliary outboard from anywhere in the boat. Allows a momentary burst of full throttle for correcting your heading quickly or jumping to a desired spot. Installs easily & will not interfere w/manual motor operation. Requires less than 2 amps for reduced battery load.



Order #	Mfg. #	For	Sugg.Ret.
5204948	TM207DPRO2	Honda 8,9,9,15 & 20 (2001-2010)	\$289.99
5204921	TM208DPRO2	John./Evn./Suz. 9.9 & 15 (2003-2010)	389.99
5204950	TM214DPRO2	Mercury 15 & 20 Tiller & Remote Shift Throttle (2011-Present)	289.99
5204902	TM213DPRO2	Mercury 8, 9.9 Tiller ('05-Present)	289.99
5204903	TM212DPRO2	Mercury 8, 9.9 Remote Shift/Throttle ('05-Present)	289.99
5204904	TM201DPRO2	Merc Mariner ('90-'04) & Yamaha 9.9, 15 ('90-'06)	289.99
5204901	TM206DPRO2	Yamaha 6, T8 (All Years) & Yamaha 9.9 ('08-Present)	289.99